

							
2,5 mm	75×2,5	30.000	100	2 ÷ 16	80 N / 8 kg		SEL.2.201
							SEL.3.201
		5.000	100	2 ÷ 16	80 N / 8 kg		SEL.2.201R
							SEL.3.201R
		60.000	1.000	2 ÷ 16	80 N / 8 kg		SEL.2.301
							SEL.3.301
	100×2,5	30.000	100	2 ÷ 24	80 N / 8 kg		SEL.2.202
							SEL.3.202
		5.000	100	2 ÷ 24	80 N / 8 kg		SEL.2.202R
							SEL.3.202R
		50.000	1.000	2 ÷ 24	80 N / 8 kg		SEL.2.302
							SEL.3.302
	135×2,5	25.000	100	2 ÷ 35	80 N / 8 kg		SEL.2.203
							SEL.3.203
		5.000	100	2 ÷ 35	80 N / 8 kg		SEL.2.203R
							SEL.3.203R
		40.000	1.000	2 ÷ 35	80 N / 8 kg		SEL.2.303
							SEL.3.303
	160×2,5	20.000	100	2÷ 42	80 N / 8 kg		SEL.2.204
							SEL.3.204
		5.000	100	2÷ 42	80 N / 8 kg		SEL.2.204R
							SEL.3.204R
		40.000	1.000	2÷ 42	80 N / 8 kg		SEL.2.304
							SEL.3.304
200×2,5	20.000	100	2÷ 55	80 N / 8 kg		SEL.2.205	
						SEL.3.205	
	5.000	100	2÷ 55	80 N / 8 kg		SEL.2.205R	
						SEL.3.205R	
	30.000	1.000	2÷ 55	80 N / 8 kg		SEL.2.305	
						SEL.3.305	
3,5 mm	140×3,5	20.000	100	2,5 ÷ 36	180 N / 18 kg		SEL.2.210
							SEL.3.210
		5.000	100	2,5 ÷ 36	180 N / 18 kg		SEL.2.210R
							SEL.3.210R
		30.000	1.000	2,5 ÷ 36	180 N / 18 kg		SEL.2.310
							SEL.3.310

 mm			 mm	 N/kg		
200×3,5	12.000	100	2,5 ÷ 55	180 N / 18 kg		SEL.2.211
						SEL.3.211
	5.000	100	2,5 ÷ 55	180 N / 18 kg		SEL.2.211R
						SEL.3.211R
	20.000	1.000	2,5 ÷ 55	180 N / 18 kg		SEL.2.311
						SEL.3.311
225×3,5	12.000	100	3 ÷ 65	180 N / 18 kg		SEL.2.215
						SEL.3.215
	5.000	100	3 ÷ 65	180 N / 18 kg		SEL.2.215R
						SEL.3.215R
250×3,5	13.000	100	3 ÷ 70	180 N / 18 kg		SEL.2.216
						SEL.3.216
	5.000	100	3 ÷ 70	180 N / 18 kg		SEL.2.216R
						SEL.3.216R
280×3,5	13.000	100	2,5 ÷ 80	180 N / 18 kg		SEL.2.212
						SEL.3.212
	5.000	100	2,5 ÷ 80	180 N / 18 kg		SEL.2.212R
						SEL.3.212R
360×3,5	8.000	100	5 ÷ 103	180 N / 18 kg		SEL.2.214
						SEL.3.214
	4.000	100	5 ÷ 103	180 N / 18 kg		SEL.2.214R
						SEL.3.214R
140×4,5	10.000	100	2,5 ÷ 33	220 N / 22 kg		SEL.2.220
						SEL.3.220
	5.000	100	2,5 ÷ 33	220 N / 22 kg		SEL.2.220R
						SEL.3.220R
	20.000	1.000	2,5 ÷ 33	220 N / 22 kg		SEL.2.320
						SEL.3.320
160×4,5	10.000	100	2,5 ÷ 38	220 N / 22 kg		SEL.2.221
						SEL.3.221
	5.000	100	2,5 ÷ 38	220 N / 22 kg		SEL.2.221R
						SEL.3.221R
	20.000	1.000	2,5 ÷ 38	220 N / 22 kg		SEL.2.321
						SEL.3.321
180×4,5	10.000	100	3 ÷ 45	220 N / 22 kg		SEL.2.222
						SEL.3.222
	5.000	100	3 ÷ 45	220 N / 22 kg		SEL.2.222R
						SEL.3.222R
	15.000	1.000	3 ÷ 45	220 N / 22 kg		SEL.2.322
						SEL.3.322

								
200×4,5	10.000	100	3 ÷ 51	220 N / 22 kg		SEL.2.223		
						SEL.3.223		
		5.000	100	3 ÷ 51	220 N / 22 kg		SEL.2.223R	
							SEL.3.223R	
		10.000	1.000	3 ÷ 51	220 N / 22 kg		SEL.2.323	
							SEL.3.323	
	250×4,5	10.000	100	5 ÷ 68	220 N / 22 kg		SEL.2.224	
							SEL.3.224	
		5.000	100	5 ÷ 68	220 N / 22 kg		SEL.2.224R	
							SEL.3.224R	
		280×4,5	10.000	100	5 ÷ 76	220 N / 22 kg		SEL.2.425
								SEL.3.425
	5.000		100	5 ÷ 76	220 N / 22 kg		SEL.2.425R	
							SEL.3.425R	
	300×4,5		8.000	100	5 ÷ 80	220 N / 22 kg		SEL.2.429
								SEL.3.429
		4.000	100	5 ÷ 80	220 N / 22 kg		SEL.2.429R	
							SEL.3.429R	
		360×4,5	8.000	100	5 ÷ 101	220 N / 22 kg		SEL.2.426
								SEL.3.426
	4.000		100	5 ÷ 101	220 N / 22 kg		SEL.2.426R	
							SEL.3.426R	
	380×4,5		7.000	100	5 ÷ 110	220 N / 22 kg		SEL.2.427
								SEL.3.427
3.500		100	5 ÷ 110	220 N / 22 kg		SEL.2.427R		
						SEL.3.427R		
430×4,5		5.000	100	5 ÷ 123	220 N / 22 kg		SEL.2.428	
							SEL.3.428	
	2.500	100	5 ÷ 123	220 N / 22 kg		SEL.2.428R		
						SEL.3.428R		
	6 mm	360×6	3.000	100	5 ÷ 101	400 N / 40 kg		SEL.2.447
								SEL.3.447
1.500			100	5 ÷ 101	400 N / 40 kg		SEL.2.447R	
							SEL.3.447R	
7,5 mm	180×7,5	5.000	100	5 ÷ 44	540 N / 54 kg		SEL.2.430	
							SEL.3.430	
		2.500	100	5 ÷ 44	540 N / 54 kg		SEL.2.430R	
							SEL.3.430R	

 mm			 mm	 N/kg		
200×7,5	5.000	100	5 ÷ 48	540 N / 54 kg		SEL.2.432
						SEL.3.432
	2.500	100	5 ÷ 48	540 N / 54 kg		SEL.2.432R
						SEL.3.432R
240×7,5	4.000	100	5 ÷ 62	540 N / 54 kg		SEL.2.431
						SEL.3.431
	2.000	100	5 ÷ 62	540 N / 54 kg		SEL.2.431R
						SEL.3.431R
280×7,5	4.000	100	5 ÷ 76	540 N / 54 kg		SEL.2.433
						SEL.3.433
	2.000	100	5 ÷ 76	540 N / 54 kg		SEL.2.433R
						SEL.3.433R
320×7,5	3.000	100	5 ÷ 88	540 N / 54 kg		SEL.2.438
						SEL.3.438
	1.500	100	5 ÷ 88	540 N / 54 kg		SEL.2.438R
						SEL.3.438R
360×7,5	3.000	100	5 ÷ 101	540 N / 54 kg		SEL.2.434
						SEL.3.434
	1.500	100	5 ÷ 101	540 N / 54 kg		SEL.2.434R
						SEL.3.434R
450×7,5	2.500	100	20 ÷ 130	540 N / 54 kg		SEL.2.435
						SEL.3.435
	1.000	100	20 ÷ 130	540 N / 54 kg		SEL.2.435R
						SEL.3.435R
500×7,5	2.500	100	20 ÷ 145	540 N / 54 kg		SEL.2.436
						SEL.3.436
	1.000	100	20 ÷ 145	540 N / 54 kg		SEL.2.436R
						SEL.3.436R
540×7,5	2.500	100	20 ÷ 160	540 N / 54 kg		SEL.2.437
						SEL.3.437
	1.000	100	20 ÷ 160	540 N / 54 kg		SEL.2.437R
						SEL.3.437R
750×7,5	1.500	100	32 ÷ 222	540 N / 54 kg		SEL.2.441
						SEL.3.441
	700	100	32 ÷ 222	540 N / 54 kg		SEL.2.441R
						SEL.3.441R
430×9	2.000	100	20 ÷ 118	720 N / 72 kg		SEL.2.144
						SEL.3.144
	1.000	100	20 ÷ 118	720 N / 72 kg		SEL.2.144R
						SEL.3.144R

 mm			 mm	 N/kg		
550×9	1.500	100	20 ÷ 160	720 N / 72 kg		SEL.2.142
						SEL.3.142
	700	100	20 ÷ 160	720 N / 72 kg		SEL.2.142R
						SEL.3.142R
780×9	1.000	100	20 ÷ 235	720 N / 72 kg		SEL.2.143
						SEL.3.143
	500	100	20 ÷ 235	720 N / 72 kg		SEL.2.143R
						SEL.3.143R
920×9	1.000	100	40 ÷ 280	720 N / 72 kg		SEL.2.154
						SEL.3.154
	500	100	40 ÷ 280	720 N / 72 kg		SEL.2.154R
						SEL.3.154R
1220×9	1.000	100	40 ÷ 375	720 N / 72 kg		SEL.2.155
						SEL.3.155
	500	100	40 ÷ 375	720 N / 72 kg		SEL.2.155R
						SEL.3.155R
1330×9	500	100	40 ÷ 409	720 N / 72 kg		SEL.2.156
						SEL.3.156
250×12,5	2.000	50	10 ÷ 62	1080 N / 108 kg		SEL.2.450
						SEL.3.450
	1.000	50	10 ÷ 62	1080 N / 108 kg		SEL.2.450R
						SEL.3.450R
360×12,5	2.000	50	10 ÷ 101	1080 N / 108 kg		SEL.2.457
						SEL.2.457R
	1.000	50	10 ÷ 101	1080 N / 108 kg		SEL.3.457
						SEL.3.457R
500×12,5	1.000	50	10 ÷ 140	1080 N / 108 kg		SEL.2.451
						SEL.3.451
	500	50	10 ÷ 140	1080 N / 108 kg		SEL.2.451R
						SEL.3.451R
750×12,5	1.000	50	40 ÷ 222	1080 N / 108 kg		SEL.2.452
						SEL.3.452
	500	50	40 ÷ 222	1080 N / 108 kg		SEL.2.452R
						SEL.3.452R
1000×12,5	1.000	50	40 ÷ 300	1080 N / 108 kg		SEL.2.453
						SEL.3.453
	500	50	40 ÷ 300	1080 N / 108 kg		SEL.2.453R
						SEL.3.453R